

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	308	398/139.ccls.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/10/31 09:04
S2	221	S1 and @py<="2003"	US-PGPUB; USPAT; USOCR	OR	OFF	2006/10/31 10:09
S3	308	398/139.ccls.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/10/31 10:09
S4	221	S3 and @py<="2003"	US-PGPUB; USPAT; USOCR	OR	OFF	2006/10/31 10:35
S5	12	S4 and electrode	US-PGPUB; USPAT; USOCR	OR	OFF	2006/10/31 10:09
S6	5778	(integrated adj circuit) with transmit\$4 with receiv\$4	US-PGPUB; USPAT; USOCR	OR	OFF	2006/10/31 11:44
S7	1671	S6 and optical	US-PGPUB; USPAT; USOCR	OR	OFF	2006/10/31 11:45
S8	597	S7 and transceiver	US-PGPUB; USPAT; USOCR	OR	OFF	2006/10/31 11:45
S9	238	S8 and @py<="2003"	US-PGPUB; USPAT; USOCR	OR	OFF	2006/10/31 13:56
S10	425	398/135.ccls.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/11/01 10:55
S11	195	S10 and @py<="2003"	US-PGPUB; USPAT; USOCR	OR	OFF	2006/10/31 17:38
S12	89	398/138.ccls.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/10/31 17:39
S13	29	S12 and @py<="2003"	US-PGPUB; USPAT; USOCR	OR	OFF	2006/11/01 10:03
S14	1	"20020085254"	US-PGPUB; USPAT; USOCR	OR	OFF	2006/11/01 10:04
S18	1	S14 and electric	US-PGPUB; USPAT; USOCR	OR	OFF	2006/11/01 10:11

EAST Search History

S19	2317	flip adj chip adj mounting	US-PGPUB; USPAT; USOCR	OR	OFF	2006/11/01 10:11
S20	1167	S19 and electrode	US-PGPUB; USPAT; USOCR	OR	OFF	2006/11/01 10:12
S21	298	S20 and optical	US-PGPUB; USPAT; USOCR	OR	OFF	2006/11/01 10:12
S22	155	S21 and integrated	US-PGPUB; USPAT; USOCR	OR	OFF	2006/11/01 10:13
S23	31	S22 and @py<="2002"	US-PGPUB; USPAT; USOCR	OR	OFF	2006/11/01 11:20
S24	89	398/138.ccls.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/11/01 10:56
S25	17	S24 and electrode	US-PGPUB; USPAT; USOCR	OR	OFF	2006/11/01 10:57
S26	1	"20020126356"	US-PGPUB; USPAT; USOCR	OR	OFF	2006/11/01 11:10
S27	1	S26 and electrode	US-PGPUB; USPAT; USOCR	OR	OFF	2006/11/01 11:10
S28	21	(transmit\$4 adj receiv\$4) with (integrated adj chip)	US-PGPUB; USPAT; USOCR	OR	OFF	2006/11/01 11:23
S29	10	S28 and @py<="2002"	US-PGPUB; USPAT; USOCR	OR	OFF	2006/11/01 11:23
S30	4	S29 and electrode	US-PGPUB; USPAT; USOCR	OR	OFF	2006/11/01 11:24
S31	308	398/139.ccls.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/11/01 13:30
S32	181	S31 and @py<="2002"	US-PGPUB; USPAT; USOCR	OR	OFF	2006/11/01 14:00
S33	66	398/142.ccls.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/11/01 14:00

EAST Search History

S34	38	S33 and @py<="2002"	US-PGPUB; USPAT; USOCR	OR	OFF	2006/11/01 14:06
S35	9	(single adj wire with (two adj way adj communication))	US-PGPUB; USPAT; USOCR	OR	OFF	2006/11/01 14:10
S36	1	(single adj wire with (two adj way adj communication)).ab.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/11/01 14:10
S40	154	(two adj way adj communication).ti.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/11/01 14:12
S41	155	(two with way adj communication). ti.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/11/01 15:30
S42	1	"5262884".pn.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/11/01 15:48
S43	36	398/134.ccls.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/11/01 18:16
S44	27	S43 and @py<="2002"	US-PGPUB; USPAT; USOCR	OR	OFF	2006/11/01 16:13
S45	1112	359/618.ccls.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/11/01 16:13
S46	822	S45 and @py<="2002"	US-PGPUB; USPAT; USOCR	OR	OFF	2006/11/01 16:16
S47	40	S46 and transmitter	US-PGPUB; USPAT; USOCR	OR	OFF	2006/11/01 16:17
S48	89	398/138.ccls.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/11/01 16:24
S49	27	S48 and @py<="2002"	US-PGPUB; USPAT; USOCR	OR	OFF	2006/11/01 16:49
S51	1	"20050019038"	US-PGPUB; USPAT; USOCR	OR	OFF	2006/11/02 12:01
S54	1	S51 and fix	US-PGPUB; USPAT; USOCR	OR	OFF	2006/11/01 16:52

EAST Search History

S55	425	398/135.ccls.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/11/01 17:03
S56	310	S55 and coupl\$3	US-PGPUB; USPAT; USOCR	OR	OFF	2006/11/01 17:03
S57	108	S56 and @py<="2002"	US-PGPUB; USPAT; USOCR	OR	OFF	2006/11/01 17:04
S58	21	"6203212"	US-PGPUB; USPAT; USOCR	OR	OFF	2006/11/01 18:17
S59	3	((("6203212") or ("6527457") or ("7049570")).PN.	USPAT; USOCR	OR	OFF	2006/11/02 12:21
S61	138	optical adj1 chip and circuit adj1 board	US-PGPUB; USPAT; USOCR	OR	OFF	2006/11/02 11:00
S62	12	optical adj1 chip and circuit adj1 board and integrated adj1 chip	US-PGPUB; USPAT; USOCR	OR	OFF	2006/11/02 11:02
S63	11	optical adj1 chip and circuit adj1 board and integrated adj1 chip and fiber	US-PGPUB; USPAT; USOCR	OR	OFF	2006/11/02 11:03
S64	6	optical adj1 chip and circuit adj1 board and integrated adj1 chip and fiber and holes	US-PGPUB; USPAT; USOCR	OR	OFF	2006/11/02 16:50
S65	6	optical adj1 chip and circuit adj1 board and integrated adj1 chip and fiber and holes and transmitter and receiver	US-PGPUB; USPAT; USOCR	OR	OFF	2006/11/02 12:30
S66	1153	integrated adj1 chip and transmitter and receiver	US-PGPUB; USPAT; USOCR	OR	OFF	2006/11/02 11:14
S67	183	integrated adj1 chip same transmitter and receiver	US-PGPUB; USPAT; USOCR	OR	OFF	2006/11/02 11:14
S68	67	integrated adj1 chip same transmitter and receiver and fiber	US-PGPUB; USPAT; USOCR	OR	OFF	2006/11/02 11:15
S69	9	integrated adj1 chip same transmitter and receiver and fiber and holes	US-PGPUB; USPAT; USOCR	OR	OFF	2006/11/02 11:16
S70	1	laser adj beam adj machinery	US-PGPUB; USPAT; USOCR	OR	OFF	2006/11/02 11:19

EAST Search History

S71	4366	laser and beam and machinery	US-PGPUB; USPAT; USOCR	OR	OFF	2006/11/02 11:18
S72	80	laser with beam with machinery	US-PGPUB; USPAT; USOCR	OR	OFF	2006/11/02 11:24
S73	8	S72 and transmitter and receiver	US-PGPUB; USPAT; USOCR	OR	OFF	2006/11/02 11:19
S74	241	laser same beam same machinery	US-PGPUB; USPAT; USOCR	OR	OFF	2006/11/02 11:22
S75	8	(laser same beam same machinery).ab.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/11/02 11:22
S76	68	laser adj1 beam same machinery and hole	US-PGPUB; USPAT; USOCR	OR	OFF	2006/11/02 11:24
S77	9	S76 and transceiver	US-PGPUB; USPAT; USOCR	OR	OFF	2006/11/02 11:25
S78	1	"20020126356"	US-PGPUB; USPAT; USOCR	OR	OFF	2006/11/02 12:00
S79	1	"20020085254"	US-PGPUB; USPAT; USOCR	OR	OFF	2006/11/02 12:00
S80	1	"20050019038"	US-PGPUB; USPAT; USOCR	OR	OFF	2006/11/02 12:01
S81	1	S80 and core	US-PGPUB; USPAT; USOCR	OR	OFF	2006/11/02 12:02
S88	46	transmitter adj receiver adj fiber	USPAT	OR	OFF	2006/11/02 12:26
S90	3	transmitter adj receiver adj fiber same core	USPAT	OR	OFF	2006/11/02 12:26
S91	2	optical adj1 chip and circuit adj1 board and integrated adj1 chip and fiber and holes and transmitter and receiver and core and diameter	US-PGPUB; USPAT; USOCR	OR	OFF	2006/11/02 12:30
S92	4	("6527457").URPN.	USPAT	OR	OFF	2006/11/02 14:00
S94	8	laser adj beam adj machin\$4 adj hole	US-PGPUB; USPAT; USOCR	OR	OFF	2006/11/02 16:40
S101	688	laser same beam same machin\$4 same fiber	US-PGPUB; USPAT; USOCR	OR	OFF	2006/11/02 14:22

EAST Search History

S10 2	214	laser with beam with machin\$4 with fiber	US-PGPUB; USPAT; USOCR	OR	OFF	2006/11/02 14:23
S10 3	77	laser with beam with machin\$4 with fiber and hole	US-PGPUB; USPAT; USOCR	OR	OFF	2006/11/02 14:24
S10 4	1	laser with beam with machin\$4 with fiber and hole and transmitter and receiver	US-PGPUB; USPAT; USOCR	OR	OFF	2006/11/02 14:24
S10 5	51	S103 and @py<="2002"	US-PGPUB; USPAT; USOCR	OR	OFF	2006/11/02 14:27
S10 6	33	S105 and transmit\$4	US-PGPUB; USPAT; USOCR	OR	OFF	2006/11/02 14:28
S10 7	23	S106 and receiv\$4	US-PGPUB; USPAT; USOCR	OR	OFF	2006/11/02 14:42
S10 8	409	machine adj hole	US-PGPUB; USPAT; USOCR	OR	OFF	2006/11/02 14:44
S11 0	2	machine adj hole near laser	US-PGPUB; USPAT; USOCR	OR	OFF	2006/11/02 14:47
S11 2	1	machine adj hole near laser with beam	US-PGPUB; USPAT; USOCR	OR	OFF	2006/11/02 14:47
S11 3	80	laser with beam with machinery	US-PGPUB; USPAT; USOCR	OR	OFF	2006/11/02 14:51
S11 4	10	S113 and @py,="2002"	US-PGPUB; USPAT; USOCR	OR	OFF	2006/11/02 14:51
S11 5	25	transmit\$4 near receiv\$4 same diameter adj core	US-PGPUB; USPAT; USOCR	OR	OFF	2006/11/02 16:41
S11 6	14	S115 and optical	US-PGPUB; USPAT; USOCR	OR	OFF	2006/11/02 16:41
S11 7	13	S115 and fiber	US-PGPUB; USPAT; USOCR	OR	OFF	2006/11/02 16:42
S11 8	6586	core adj fiber	US-PGPUB; USPAT; USOCR	OR	OFF	2006/11/02 16:50

EAST Search History

S11 9	194	core adj fiber near diameter	US-PGPUB; USPAT; USOCR	OR	OFF	2006/11/02 16:50
S12 0	80	core adj fiber near diameter and transmit\$4 and receiv\$4	US-PGPUB; USPAT; USOCR	OR	OFF	2006/11/02 16:51
S12 1	18	core adj fiber near diameter and transmit\$4 and receiv\$4 and hole	US-PGPUB; USPAT; USOCR	OR	OFF	2006/11/02 16:58
S12 2	5561	transmit\$4 adj receiv\$4 near6 section	US-PGPUB; USPAT; USOCR	OR	OFF	2006/11/02 17:02
S12 3	748	transmit\$4 adj receiv\$4 near6 section and diameter	US-PGPUB; USPAT; USOCR	OR	OFF	2006/11/02 17:02
S12 5	733	transmit\$4 adj receiv\$4 same section same diameter	US-PGPUB; USPAT; USOCR	OR	OFF	2006/11/02 17:03
S12 6	336	transmit\$4 with receiv\$4 with section with diameter	US-PGPUB; USPAT; USOCR	OR	OFF	2006/11/02 17:04
S12 7	18	transmit\$4 with receiv\$4 with section with diameter with core	US-PGPUB; USPAT; USOCR	OR	OFF	2006/11/02 17:05
S12 8	11	transmit\$4 with receiv\$4 with section with diameter with core with fiber	US-PGPUB; USPAT; USOCR	OR	OFF	2006/11/02 17:07
S12 9	122	diameter adj core adj fiber	US-PGPUB; USPAT; USOCR	OR	OFF	2006/11/02 17:07
S13 0	21	S129 and hole	US-PGPUB; USPAT; USOCR	OR	OFF	2006/11/02 17:07

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	163	(optical adj transceiver).ti.	USPAT	OR	OFF	2006/11/06 09:25
L2	63	1 and @py<="2002"	USPAT	OR	OFF	2006/11/06 09:09
L3	225	(optical adj transceiver).ab.	USPAT	OR	OFF	2006/11/06 09:25
L4	93	3 and @py<="2002"	USPAT	OR	OFF	2006/11/06 09:26